



<b>Circular Saws</b>			
<i>Machine Manufacturer</i>	<b>Wheel Diameter</b>		
	<b>180mm</b>	<b>200mm</b>	<b>230mm</b>
<b>A.E.G</b>	16	16	-
<b>Black &amp; Decker</b>	16 ( 20 )	16 ( 35 )	16 ( 35 )
<b>Bosch</b>	16 ( 28 )	35	35
<b>De Walt</b>	16	16 / 25	25
<b>Hitachi</b>	20	25 ( 35 )	25 ( 35 )
<b>Makita</b>	20	25	25
<b>Metabo</b>	20	-	-
<b>Ryobi</b>	16 ( 20 )	16 ( 25 )	16 ( 25 )
<b>Skil</b>	16	16	16
<b>Wolf</b>	16	16	16

Every effort has been made to ensure that the information contained here is as accurate as possible but machine manufacturers do change model specifications. The bore size shown is that which is standard for the current models at the time of printing. Bore sizes for older models of some brands are shown in brackets.



<b>Portable Chop Saws</b>			
<i>Machine Manufacturer</i>	<b>Wheel Diameter</b>		
	<b>300mm</b>	<b>350mm</b>	<b>400mm</b>
<b>De Walt</b>	-	25	-
<b>Hitachi</b>	25	25	25
<b>Makita</b>	25	25	-
<b>Ryobi</b>	25	25	-



<b>Petrol Saws</b>		
<i>Machine Manufacturer</i>	<b>Wheel Diameter</b>	
	<b>300mm</b>	<b>350mm</b>
<b>Stihl</b>	20	20
<b>Partner</b>	22 / 25	22 / 25
<b>Hitachi (Electric H/Duty)</b>	25	-



<b>Angle Grinders</b>					
<i>Machine Manufacturer</i>	<b>Wheel Diameter</b>				
	<b>100mm</b>	<b>115mm</b>	<b>125mm</b>	<b>180mm</b>	<b>230mm</b>
<b>Most Makes</b>	16	22	22	22	22
<b>Spindle Thread</b>	M10 X 1.5*	M14 X 2	M14 X 2	M14 X 2*	M14 X 2*

\* 100mm Makita Machines made prior to 1998 have M10 X 1.25 Thread .

◆ Some models of American brand Air and Electric grinders have a 5/8" UNC Thread.

# Cutting Off Wheel Availability

	Bore Size					
Wheel Diameter	16	20	22	25		35
100	Very Common					
115			Very Common			
125			Very Common			
180	Very Common	Very Common	Very Common			
200	Common		Available A	Very Common		Common
230	Common		Very Common	Very Common		Common
300		Available	Available	Common		
350		Available	Available	Common		
400				Available		

- Notes - 100,115,125, 180 X 22 and 230 x 22 Cutting off wheels are used on Angle Grinders.  
 - 300 X 20 and 300 X 22 Wheels are for Petrol Driven Cutting off machines.

# Depressed Centre Wheel Availability

	Bore Size	
Wheel Diameter	16	22
100	Very Common	
115		Very Common
125		Very Common
180		Very Common
230		Common

	Available A	Available	Common	Very Common
Not Available	Available For an older machine - suggest order as required.	Available	Common	Very Common



## Portable Belt Selector Guide

### Sander

<b>AEG</b>	HSB65	
<b>B&amp;D</b>	DN83	65 x 410
<b>SKIL</b>	1200/7313	75 X 457
<b>AEG</b>	HBSE75E	
<b>BOSCH</b>	2288/2410	
<b>BOSCH</b>	3270/PBS75	
<b>DEWALT</b>	DW430	
<b>HITACHI</b>	SB75	
<b>MAKITA</b>	9900B	
<b>MAKITA</b>	9901	75 X 533
<b>B&amp;D</b>	402B/2302	
<b>B&amp;D</b>	7461	
<b>HITACHI</b>	SB8T	
<b>MAKITA</b>	9924/B/DB	
<b>WOLFE</b>	853A	75 X 610
<b>M/FALLS</b>	HD840	
<b>HITACHI</b>	SB75	100 X 533
<b>SKIL</b>	400/1400	100 x 552
<b>AEG</b>	HSB/HBSE100	
<b>ELU</b>	MHB90	
<b>RYOBI</b>	HB422	100 x 560
<b>BOSCH</b>	2210/2422	
<b>HITACHI</b>	SB-110	
<b>HITACHI</b>	SB10T	
<b>MAKITA</b>	9401	
<b>MAKITA</b>	9924DB	
<b>RYOBI</b>	7200A	100 X 610
<b>AEG</b>	HSB2110	
<b>BOSCH</b>	GBS100A	
<b>HITACHI</b>	SB-10V	
<b>HITACHI</b>	SB-110	
<b>HOLTZER</b>	210	110 X 620



## Portable Belt Selector Guide

### Sander

<b>AEG</b>	HSB65	
<b>B&amp;D</b>	DN83	65 x 410
<b>SKIL</b>	1200/7313	75 X 457
<b>AEG</b>	HBSE75E	
<b>BOSCH</b>	2288/2410	
<b>BOSCH</b>	3270/PBS75	
<b>DEWALT</b>	DW430	
<b>HITACHI</b>	SB75	
<b>MAKITA</b>	9900B	
<b>MAKITA</b>	9901	75 X 533
<b>B&amp;D</b>	402B/2302	
<b>B&amp;D</b>	7461	
<b>HITACHI</b>	SB8T	
<b>MAKITA</b>	9924/B/DB	
<b>WOLFE</b>	853A	75 X 610
<b>M/FALLS</b>	HD840	
<b>HITACHI</b>	SB75	100 X 533
<b>SKIL</b>	400/1400	100 x 552
<b>AEG</b>	HSB/HBSE100	
<b>ELU</b>	MHB90	
<b>RYOBI</b>	HB422	100 x 560
<b>BOSCH</b>	2210/2422	
<b>HITACHI</b>	SB-110	
<b>HITACHI</b>	SB10T	
<b>MAKITA</b>	9401	
<b>MAKITA</b>	9924DB	
<b>RYOBI</b>	7200A	100 X 610
<b>AEG</b>	HSB2110	
<b>BOSCH</b>	GBS100A	
<b>HITACHI</b>	SB-10V	
<b>HITACHI</b>	SB-110	
<b>HOLTZER</b>	210	110 X 620